

# FILE NOTATIONS

Entered in NID File

☒

Entered On S R Sheet

☐

Location Map Pinned

☒

Card Indexed

☒

IWR for State or Fee Land

☐

Checked by Chief

PS

Copy NID to Field Office

☐

Approval Letter

☒

Disapproval Letter

☐

## COMPLETION DATA:

Date Well Completed

10-22-61

Location Inspected

☐

OW

WW

TA

Bond released

☐

GW

OS

PA

☒

State of Fee Land

☐

## LOGS FILED

Driller's Log

11-7-61

Electric Logs (No.)

2

E

I

E-I

☒

GR

GR-N

Micro

☐

Lat

Mi-L

Sonic

☒

Others

☐

Ct/D  
08/13/92

DELHI-TAYLOR OIL CORPORATION  
CORRIGAN TOWER  
DALLAS 1, TEXAS

DIRECT REPLY TO  
FARMINGTON DISTRICT OFFICE  
P. O. BOX 1175  
FARMINGTON, NEW MEXICO

September 13, 1961

U. S. Geological Survey  
445 Federal Building  
Salt Lake City, Utah

Re: Government No. 1-17  
Utah #019729

Gentlemen:

Attached hereto original and two copies of form  
9-331a covering "Notice of Intention to Drill"  
on our Government No. 1-17, located in SE 1/4, Sec.  
17, T-12-S, R-22-E, Uintah County, Utah.

Certified plats will be forwarded as soon as possible.

Yours very truly,


DELHI-TAYLOR OIL CORPORATION

Original signed by  
By: G. T. HIGGINBOTHAM (H.G.C.)  
G. T. Higginbotham  
District Superintendent

GAF:ac

Attach.

cc: Utah Oil & Gas Conservation Commission - Salt Lake City ✓  
J. D. Cooper - Dallas



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-E358.4.  
Approval expires 12-31-60.

Land Office Salt Lake  
Lease No. Utah 019729  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Sept. 13, 1961

Government

Well No. 1-17 is located 1851 ft. from 1/4 line and 2000 ft. from E line of sec. 17

SE/4, Sec. 17

(1/4 Sec. and Sec. No.)

T-12-S

(Twp.)

R-22-E

(Range)

Salt Lake

(Meridian)

Wildcat

(Field)

Uintah

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. To be furnished later.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill with rotary tools to approximately 6700' testing all zones for commercial production, set casing if commercial production encountered, perforate and sand/water frac.

Proposed casing Program:

300' of 10-3/4" 32.75# H-40 - Cement to surface.

6700' of 4-1/2" 9.50# & 10.50# J-55 - 1000 szs.

6700' of 2-3/8" 4.70# EUE tubing.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DELHI-TAYLOR OIL CORPORATION

Address P. O. Drawer 1198  
Farmington, New Mexico

Original signed By  
By G. T. HIGGINBOTHAM (Mac)  
G. T. Higginbotham  
Title District Superintendent

# T12S, R22E, SLB&M



X = Corners Located

Scale 1" = 1000'

By ROSS CONSTRUCTION CO.  
Vernal, Utah

*Handwritten signature*

<p>PARTY Gene Stewart Daryl Teel</p> <p>WEATHER Fair - Warm</p>	<p><b>SURVEY</b> DELHI TAYLOR OIL CORPORATION WELL LOC GOVT. 1-17 LOCATED AS SHOWN IN THE NW1/4, SE1/4, SEC. 17, T12S, R22E, SLB&amp;M. UINTAH COUNTY, UTAH.</p>	<p>DATE 9/18/61 REFERENCES GLO Township Plat Approved 6/9/1923 FILE DELHI TAYLOR</p>
---	--	--

September 14, 1961

Delhi-Taylor Oil Corp.  
P. O. Drawer 1198  
Farmington, New Mexico

Attn: G. T. Higginbotham, Dist. Supt.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Government #1-17, which is to be located 1851 feet from the south line and 2080 feet from the east line of Section 17, Township 12 South, Range 22 East, SLEM, Uintah County, Utah.

Please be advised that insofar as this office is concerned approval to drill this well is hereby granted; however, said approval is conditional upon a Plat being furnished this office in accordance with Rule C-4 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,  
EXECUTIVE SECRETARY

CBF:mg

cc: Don F. Russell, Dist. Eng.  
U. S. Geological Survey

DELHI-TAYLOR OIL CORPORATION

CORRIGAN TOWER

DALLAS 1, TEXAS

September 21, 1961

DIRECT REPLY TO  
FARMINGTON DISTRICT OFFICE  
P. O. BOX 1175  
FARMINGTON, NEW MEXICO

U. S. Geological Survey  
445 Federal Building  
Salt Lake City, Utah

Re: Government No. 1-17  
Utah 019729

Gentlemen:

Attached hereto original and two (2) copies of  
certified plats covering our Government No. 1-17,  
located in the SE/4, Section 17, T-12-S, R-22-E,  
Uintah County, Colorado.

Yours very truly,

DELHI-TAYLOR OIL CORPORATION

Original signed by  
G. T. HIGGINBOTHAM  
By: G. T. Higginbotham  
District Superintendent

/mac

Attach.

cc: Utah Oil & Gas Conservation Comm. - Salt Lake City  
J. D. Cooper - Dallas

Wing

DIRECT REPLY TO  
FARMINGTON DISTRICT OFFICE  
P. O. BOX 1175  
FARMINGTON, NEW MEXICO

DELHI-TAYLOR OIL CORPORATION  
CORRIGAN TOWER  
DALLAS 1, TEXAS  
October 10, 1961

U. S. Geological Survey  
445 Federal Building  
Salt Lake City, Utah

Re: Government No. 1-17  
Utah #019729

Gentlemen:

Attached hereto original and two copies of form  
9-331a covering "Subsequent Report of Water Shut-off"  
on our above subject well located in SE/4, Section 17,  
T-12-S, R-22-E, Uintah County, Utah.

Yours very truly,


DELHI-TAYLOR OIL CORPORATION

Original signed By  
G. T. HIGGINBOTHAM  
By: G. T. Higginbotham  
District Superintendent

/mac

Attach.

cc: Utah Oil & Gas Conservation Comm. - Salt Lake City ✓  
J. D. Cooper - Dallas



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. Utah 019729  
Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<b>X</b>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 10, 19 61

**Government**  
Well No. 1 - 17 is located 1851 ft. from N line and 2080 ft. from E line of sec. 17  
SE/4 Sec. 17 T-12-S R-22-E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of ~~the surface~~ above sea level is 6005 ft. G. L.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well spudded 10/2/61. Drilled 9-7/8" hole to 235' reamed to 15", ran 6 joints 10-3/4" H-40, 32.75#. Landed at 226.11' w/230 sacks Class "A" #1 cement. Full returns. Casing tested to 1000#, held for 30 minutes - okay. Drilling resumed.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DELHI-TAYLOR OIL CORPORATION  
Address P. O. Drawer 1198  
Farmington, New Mexico  
By G. T. HIGGINBOTHAM  
G. T. Higginbotham  
Title District Superintendent



(SUBMIT IN TRIPLICATE)

Land Office Salt Lake  
Lease No. Utah 019729  
Unit \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 23, 19 51

Government  
Well No. 1-17 is located 1651 ft. from N line and 2060 ft. from E line of sec. 17  
SE/4 Sec. 17 T-12-S R-22-E BLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6005 ft. G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well drilled to T.D. of 3815', logged, formation tested : 2947', recovered filtrate water, no production found. It is proposed to spot cement plugs as follows:


3156-3081' 20 sacks cement  
3081-2947' 20 " "  
2947-287' 20 " "  
20' - to surface 10 sacks cement

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DELLI-TAYLOR OIL CORPORATION

Address P. O. Drawer 1198  
Farmington, New Mexico

Original by  
G. T. HIGGINBOTHAM  
By G. T. Higginbotham  
Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. Utah 019729  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 24, 1961 *P&H*

**Government**  
Well No. 1-17 is located 1851 ft. from S line and 2080 ft. from E line of sec. 17  
SE/4 Sec. 17 T-12-S R-22-E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Hinshaw Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6005 ft. G. L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well plugged and abandoned as follows:

<u>From</u>	<u>To</u>	<u>No. Sacks Cement</u>
3156	3081	20
3061	3013	20
239	207	20
20	to Surface	10

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company DELMET-TAYLOR OIL CORPORATION  
Address P. O. Drawer 1198  
Farmington, New Mexico  
Original signed by  
G. T. HIGGINBOTHAM  
By G. T. Higginbotham  
Title District Superintendent

R2

CS

DELHI-TAYLOR OIL CORPORATION  
CORRIGAN TOWER  
DALLAS 1, TEXAS

DIRECT REPLY TO  
FARMINGTON DISTRICT OFFICE  
P. O. BOX 1175  
FARMINGTON, NEW MEXICO

October 26, 1961

~~U. S. Geological Survey  
445 Federal Building  
Salt Lake City, Utah~~

Attention: D. F. Russell

Gentlemen:

As per our telephone conversation of October 23, 1961 please find attached original and two copies of Form 9-331a, "Notice of Intention to Abandon Well", and also "Subsequent Report of Abandonment" on our Government No. 1-17, located SE/4 Sec. 17, T-12-S, R-22-E, Uintah County, Utah.

Yours very truly,

DELHI-TAYLOR OIL CORPORATION

*Original signed by*

G. T. HIGGINBOTHAM

By:

G. T. Higginbotham  
District Superintendent

Attach:

GTH:g

✓cc: Utah OGCC, Salt Lake City  
J. D. Cooper, Dallas

Salt Lake

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE ----- Utah 019451  
LEASE NUMBER -----  
UNIT -----

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Uintah Field Wilcoat

The following is a correct report of operations and production (including drilling and producing wells) for the month of October, 1961,

Agent's address P. O. Box 1198 Company DELHI-TAYLOR OIL CORPORATION

Farmington, New Mexico

Signed

Phone Davis 5-5052

Agent's title District Clerk

SEC. AND ¼ OF ¼	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NE 1/4 Sec. 15	12S	21E	Govt. 1-15	-	-	-	-	-	-	Shut in for pipeline connection.
SE 1/4 Sec. 17	"	22E	Govt. 1-17	-	-	-	-	-	-	Plugged & Abandoned. Final Report on 1-17

NOTE.—There were no runs or sales of oil; no M cu. ft. of gas sold;

no runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

**DELHI-TAYLOR OIL CORPORATION**  
**CORRIGAN TOWER**  
**DALLAS 1, TEXAS**

DIRECT REPLY TO  
FARMINGTON DISTRICT OFFICE  
P. O. BOX 1175  
FARMINGTON, NEW MEXICO

November 3, 1961

U. S. Geological Survey  
445 Federal Building  
Salt Lake City, Utah

Re: Government 1-17  
Utah 019729

Gentlemen:

Attached hereto original and two (2) copies of U. S. G.S.  
Form 9-330 "Log of Oil or Gas Well" on our U. S. Government  
1-17 located in Section 17, 12S, 22E, Uintah County, Utah.

Yours very truly,

DELHI-TAYLOR OIL CORPORATION

By:

J. F. Berry (g)  
J. F. Berry  
District Engineer

GAF:g

Attach.

cc: 1 Oil & Gas Conservation Commission, Salt Lake City  
1 J. D. Cooper, Dallas  
2 Zach Jones, Denver

U. S. LAND OFFICE -----  
SERIAL NUMBER **Utah 019729** -----  
LEASE OR PERMIT TO PROSPECT -----

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

# LOG OF OIL OR GAS WELL

## LOCATE WELL CORRECTLY

Company DELHI-TAYLOR OIL CORPORATION Address Box 1198, Farmington, New Mexico  
 Lessor or Tract U. S. Government Field Wildcat State Utah  
 Well No. 1-17 Sec. 17 T. 12S R. 22E Meridian SLM County Uintah  
 Location 1851 ft. N. of S Line and 2000 ft. E. of W Line of Sec. 17 Elevation 6003 G.L.  
(Check box relating to you last)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed \_\_\_\_\_ G. T. HUGHES, BOYDMAN

Date November 2, 1961 Title District Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling October 2, 1961 Finished drilling October 22, 1961

**OIL OR GAS SANDS OR ZONES**  
(Denote gas by  $G$ )

No. 1, from ~~None~~ to \_\_\_\_\_

No. 2, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from \_\_\_\_\_ to \_\_\_\_\_

No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 5, from \_\_\_\_\_ to \_\_\_\_\_

No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

## CASING RECORD

[illegible]

## MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10-3/4	226	230	Grillb.		
		Lost by abandonment			

## PLUGS AND ADAPTERS

Heaving plug—Material None Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
------	------------	----------------	----------	------	------------	-------------------

FOLD	MARK
------	------

		None				

#### TOOLS USED

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

#### DATES

\_\_\_\_\_, 19\_\_\_\_ Put to producing ~~Plugged & Abandoned~~, 19\_\_\_\_  
 The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_ % was oil; \_\_\_\_\_ %  
 emulsion; \_\_\_\_\_ % water; and \_\_\_\_\_ % sediment. Gravity, °Bé. \_\_\_\_\_  
 If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
 Rock pressure, lbs. per sq. in. \_\_\_\_\_

#### EMPLOYEES

\_\_\_\_\_, Driller ~~R. M. Bunite~~, Driller  
**K. Hayes**, Driller  
**G. W. Bowden**, Driller

#### FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	3082	3082	Green River Formation
3082	5156	2074	Wasatch Formation
5156	5815	659	Mesaverde Group
Note: Formation tested @ 2947', recovered filtrate water, no production found - Well plugged and abandoned.			
FROM—	TO—	TOTAL FEET	FORMATION

[OVER]

**FORMATION RECORD—Continued**

16-43094-4